

# International Diamond Systems

## Material Safety Data Sheet

March 2, 2009

Page: 1

### SECTION 1: PRODUCT IDENTIFICATION

Product Name: QuickSeam Splice Tape (3", 4")  
Chemical Name / Synonym: QuickSeam Splice Tape  
Chemical Family: Mixture  
24-Hour Emergency Phone: (800) 424-9300 CHEMTREC  
Manufacturer's Name: Firestone Building Products Company  
Manufacturer's Address: 250 West 96<sup>th</sup> Street, Indianapolis, IN 46260  
NFPA Hazard Rating: Health 1, Flammability 1, Reactivity 0  
HMIS Hazard Rating: Health 0, Flammability 1, Reactivity 0

### SECTION 2: CHEMICAL COMPOSITION

<u>Chemical Name:</u>	<u>Common Name:</u>	<u>CAS#:</u>	<u>% (by M)</u>	<u>Exposure Limits:</u>
Nonhazardous as per 29 CFR 1910.1200	None	None	100	None Established

### SECTION 3: HAZARD

Primary Route of Exposure: IDENTIFICATION Skin contact  
Signs and Symptoms of Exposure: May cause mild skin irritation, including redness and burning sensation of skin.  
Medical Conditions Aggravated by Exposure: None known.  
Chronic Effects: No known adverse effects.  
Carcinogenicity: None.

### SECTION 4: FIRST AID MEASURES

First Aid Procedures: Treat as a foreign object in eye. Flush large amounts of water, frequently flushing under the lids. Wash skin with soap and water if irritation develops. Get medical attention if irritation of eyes or skin persists.

### SECTION 5: FIRE FIGHTING PROCEDURES

Suitable Extinguishing Media: Foam, water, dry chemical, or carbon dioxide.  
Hazardous Combustion Products: Carbon dioxide and carbon monoxide, oxides of nitrogen, sulfur dioxide, partially burned carbon.  
Recommended Fire Fighting Procedures: Treat as a Class "B" fire. Limit fire fighting to those trained to do so. Minimize breathing gases, vapor, fumes, or decomposition products. Use supplied air respirator for enclosed or confined spaces or as otherwise needed.  
Unusual Fire and Explosion Hazards: None known.

# International Diamond Systems

## Material Safety Data Sheet

March 2, 2009

Page: 2

### SECTION 6: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled: Shovel or scoop into a sealable container for disposal.

Precautions to Be Taken in Handling and Storing: Do not store or handle at temperatures in excess of 130 °F. Store in a cool, dry area. Avoid prolonged or repeated contact with the skin. Product readily removed from the skin with waterless hand cleaners followed by washing with soap and water.

### SECTION 7: EXPOSURE CONTROLS / PERSONAL PROTECTION

Ventilation: No special ventilation requirements.

Respiratory Protection: Not required under normal conditions of use.

Eye Protection: Not required under normal conditions of use.

Skin Protection: Not required under normal conditions of use.

Other: None required.

Work / Hygienic Practices: Wash exposed skin prior to eating, drinking or smoking and at the end of each work shift. Wash contaminated clothing prior to reuse.

### SECTION 8: PHYSICAL AND CHEMICAL

Appearance and Odor: PROPERTIES Tacky black solid with no odor.

Flash Point: >200°C Lower Explosive Limit: None

Method Used: Estimate based on the flash point of the most volatile component. Upper Explosive Limit: None

Evaporation Rate: Not Applicable Boiling Point: None

pH (undiluted product): Not Applicable Melting Point: Unknown

Solubility in Water: None Specific Gravity: 0.97 (Water=1 )

Vapor Density: Not Applicable Percent Volatile: 0.7% Maximum

Vapor Pressure: Not Applicable

### SECTION 9: STABILITY AND

Thermal Stability: REACTIVITY Stable

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Exposure to temperature in excess of 130 °F.

### SECTION 10:

Regulatory Agency: TRANSPORTATION Not

Proper Shipping Name: Regulated

Hazard Classification: Not Regulated

Identification Number: Not Applicable

Labels Required: Not Applicable

# International Diamond Systems

## Material Safety Data Sheet

Page: 3

March 2,

2009 Other

Not Applicable

Requirements:

### SECTION 11: MISCELLANEOUS INFORMATION

Additional Comments:

This product is considered to be a finished article as per 29 CFR 191 0.1200(C) and is therefore exempt from the requirements of the Hazard Communication standard.

Date of Previous MSDS:

July 17, 2008

Changes Since Previous MSDS:

Company name change

Telephone Number for Additional Information:

(317) 575-7190

### DISCLAIMER

The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, a subsidiary of Firestone Diversified Products, LLC, assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed .